

Declaration of conformity

According to EN ISO/IEC 17059-1:2010

Number	Manufacturer
2020/08/2020	TOPWET s.r.o., náměstí Viléma Mrštíka 62, 664 81 Ostrovačice, Czech Republic
Declaration subject	
Heated roof outlets TOPWET TWE with integrated sleeve	
Type	<input type="checkbox"/> TWE 75 ___ S <input type="checkbox"/> TWE 110 ___ S <input type="checkbox"/> TWE 125 ___ S <input type="checkbox"/> TWE 160 ___ S XL
	<input type="checkbox"/> TWE 75 ___ V <input type="checkbox"/> TWE 110 ___ V <input type="checkbox"/> TWE 125 ___ V
The subject of declaration described above is in conformity with requirements	
EN 1253-2:2016 - Gullies for buildings - Part 2: Roof drains and floor gullies without trap	

Additional information |

a. Basic technical parameters

1. Dimensions DN: DN70, DN100, DN125, DN150
2. Purpose: drainage of flat roofs, terraces and balconies with electric heating
3. Material: outlet body – polyamide PA6, protective basket – polyamide PA6
4. Integrated connection sleeve
BIT – modified bitumen strip SBS, PVC – mPVC based foil, TPO – thermoplastic (flexible) polyolefin, EPDM – synthetic rubber foil, PE – polyethylene foil, STE – a sleeve for connecting of waterproofing screed
5. Colour: orange
6. Load category: H 1,5


b. LGA QualiTest GmbH, Dreikronenstrasse 31, 97082 Würzburg, test report nr. 60140093 issued on 21.06.2019

c. Certification ISO 9001:2015 nr. 50074/A/0001/UK/Cz issued on 18. 7. 2017

by URS United Registrar of Systems Czech s.r.o.,
PSN House, Argentinská 286/38, 170 00 Praha 7

d. Conformity assessment was executed by internal inspection within the scope of established production management system




Tomáš Kunst | CEO

In Ostrovačice on 01. 08. 2020